

SUNFLOWER CORPORATION

High Pressure Laminates

/ CONTENTS

- 09 Jagged
- 12 Ultra Matt
- 15 Sierra
- 17 Faux wood
- 19 Legno
- 26 Embossed
- 28 Sawcut
- 29 Super Matt
- 31 Natural
- 32 Veneer

- 34 Forest
- 40 Cloud
- 41 Geometric
- 42 Woven
- 43 Mosaic
- 44 Kaleidoscope
- 45 Ripple
- 46 Fantasy
- 47 Metal
- **48** Soild



/ ABOUT SUNFLOWER CORPORATION

About Sunflower Corporation

Sunflower Laminates, just had its 50th year anniversary, is a leading manufacturer of providing designed and functional surfacing solutions in Taiwan. Over the decades, Sunflower Laminates constantly introduces new product lines including High Pressure Laminates (HPL), Melamine Faced Chipboard (MFC), Postforming HPL and Compact Laminates.

As the very first HPL manufacturer in Taiwan, its reputation was founded on providing excellent quality products, customer services and to ensure the surfacing solutions meet the needs of interior designs and applications. In addition, Sunflower became the first ISO9001 accredited producer in the region and was further awarded the "Green Label" certification by the Taiwanese and Singaporean Governments.

Further technical advancements had taken place with the introduction of anti bacterial, anti fungal and fire retardant laminates. More recently new technologies were introduced that provide a far superior scratch resistant gloss and anti fingerprint ultra matt finishes in both high pressure and compact laminates.

Sunflower has numerous offices positioned strategically throughout Taiwan to comprehensively service the domestic market. In addition we have a global presence that includes South East Asia, Australia, New Zealand and the Middle East. At the same time Sunflower is seeking to build valuable and long term relationships with reputable distributors to further expand our business activities globally.

Sunflower Corporation

Certifications

- ISO 9001:2015
- CNS 11366
- BS EN 438(UK&EEC countries)
- NEMA LD3-1995
- JIS K-6902/6903 (Japan)
- GB 50222-95 (China)
- Taiwan-made Product MIT
- Green Building Material mark by Architecture and Building Research Institute
- International Maritime Organization
- Green Label (Singapore)
- Antifungal Grade ASTM G21 (excl. Metallic HPL)
- Antibacterial Grade JIS Z 2801 (Japan) (excl. Metallic HPL)
- Department of Communication of Japan as "F *****" (Super E0) classification




Special grade high pressure laminate Technical specifications

- Fire Retardant Grade CNS7614
- GB 18580-2001 (China)
- Fure Resistant Grade-1 CNS-14705-1
- (Composite Material)
- ASTM related tests



Sunflower Corporation Established in 1973

About Sunflower




Why Sunflower Corporation?



Four Product Lines

HPL, MFC, Hanex acrylic solid surface and Hanstone quartz.



Complete Design Solutions

Complete design solutions in both HPL and MFC offering the same colors.

Only company in Taiwan to do so

Made in Taiwan by Sunflower Laminates

In House Production in Taiwan.



Two Stage Impregnation

Lst – Resin with Aluminum Oxide providing superior wear resistance. 2nd Anti bacterial & Anti fungal & customization.



Other Products


Melamine Faced Chipboard 松美板


Sunflower Melamine Faced Chipboard is another product line manufacturing by Sunflower in Taiwan that shares the same design with HPL which ensures a complete design solution. It is a highly durable and versatile product with a stylish range of designs. It is highly versatile as an interior design material that is ideal for furniture, cabinetry, wall paneling and with numerous other decorative possibilities.

Standard Size Thickness Core material

7' x 9' (2100x2850mm) 8mm, 18mm, 25mm Melamine Faced Chipboard

application: school lockers, reception counter, abinet, kitchen unit, and display showcase.






Labeling Instructions

Surface Finishes :

		Ash
₩		Horizontal Ripple
	CD	Cloud
$\langle \diamond \rangle$		Crystal
*		Diamond
		Embossed
		Faux Wood
		Gloss
		Jagged
		Legno
	М	Matt
	MX	Mosaic

		Natural Veneer
*	0	Geometric
		Paint
$\langle + \rangle$	Q1	Quartz
{ }}}		Vertical Ripple
۲		Super Matt
	SC	Sawcut
		Texture
@		Ultra Matt
霋	V	Veneer
*	W	Woven




Other Sizes : 4'3"x10'(1300x3050mm) 5'x10'(1525x3050mm)

5'x8'(1525x2440mm) 5'3''x10'(1600x3050mm

/ INSTRUCTIONS

Labeling Instructions



Surface Finishes

В	Horizontal Ripple	L	Legno	R	Vertical Ripple
CD	Cloud	М	Matt	S	Super Matt
Е		MX	Mosaic	SC	Saecut
FA	Faux Wood	Ν	Natural Veneer	Т	
G	Gloss	0		U	Ultra Matt
	Jagged	Q	Quartz	V	
				W	Woven

Woodgrain Direction	Standard Sizes			
 (C) Cathedral (S) Straight (H) Horizontal (CF) Crossfire (B) Burl 	4 ' x 8' (1220x2440mm) 5 ² 5' 3" x 12' (1600x3660mm)			


SURFACE FINISHES





More Surface Finishes














8203J 4⁸ 5²











Jagged

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm









8905J









Ultra Matt

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





















8322U

Ultra Matt

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm

8260U

48









8391U 4[°]8 5[°]2







8388U **5**² *5'3'' x 12 Only


8330U **4**⁸



8395U 4



8280U **4**⁸











8396U 48

Ultra Matt

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





Sierra

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm





8319G 4[°]8 5[°]2



8301G 4[°]8 5[°]2



8321G 4⁸ 5²



8391G 4[°]₈ 5[°]₂



8318G



8322G



8315G



8316G



8397G 5²/₂ *5'3'' x 12 Only



Sierra

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm
















Faux Wood

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm







Pine (C)



9059FA 4 8 Hickory (C)



9058FA Hickory (C)

48

48



Walnut (C)

48



Oak (C)





9056FA 48 Hickory (C)

Faux Wood

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm







48

Oak (C)

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





9088L

Oak (C)



Oak (C)

9089L













Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





9059L 48 Hickory (C)



9018L **4**⁸ Elm (S)



9067L 48 Pine



9006L Walnut (S)



9011L Oak (C)



Hickory (C)



9003L Oak (C)



9672L Ash (S)













9037L 9037L 0ak (C)



9034L 4 8 Pine (C)



9960L (4) 8 Ash (C)











9021L 4 3 Oak (C)



9005L



9930L 4 S Oak (S)

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm









9600L 48 Beech (S)



9130L 48 Olive (S)



9980L Oak (S)



9026L Elm (C)



48 Elm (C)



9019L **4**⁸ Beech (C)



9920L Santhia (S)



9950L **4**⁸ Ash (C)



9025L Acacia (C)









Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm

















9038L (4) (C)







9065L 4 8 Walnut (C)



9075L





Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





9076L Oak (C)













Walnut (C)









Embossed

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





Ash (C)



4102E **4**⁸ Maple (S)



4002E Ebony (S)



Oak (S)



4062E Walnut (C)



9940E Oak (S)



9920E **4**⁸ **5**² Santhia (S)

Embossed

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





2692E



4052E



4011E



4112E



2582E 4 8 Ash (S)





9950E 3 3 Ash (C)



4402E 4 2 zebrano (S)





Sawcut





Cherry (S)



2662SC



48





2632SC



8520SC





Due to different monitor settings and lighting, color variation may occur. Please refer to the actual products. © 2024 Sunflower Corporation

Oak (S)

Super Matt





Maple (S)



4072S



4122S 4 3 Oak (C)



4602S 4 3 Oak (H)



4062S



9960S 4³/₈ Ash (C)

Super Matt

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





4112S 4 8 Maple (S)



9950S 4 8 Ash (C)



9910S 4 8 Oak (C)



4052S 4 8 Walnut (C)



9970S 4 8 Elm (S)



9940S



9930S 4 3 Oak (S)



9920S



2552S 4_{8}^{2} Chestnut (S)



25825 4 Ash (S)

Natural Veneer

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm









9930N 4 Oak (S)



9920N 4 Santhia (S)



9910N 4 8 Oak (C)



9970N 4 8 Elm (S)



4252N 4 S African wood (S)



Oak (S)



9940N 4 8 Oak (S)



46821 4 Ash (S)

Veneer

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





Ash (S)

Oak (S)

2672V

9980V

48



9070V



Elm (S)

9930V



9710V





9910V

Oak (C)

Oak (S)

Veneer





2682V





9920V







Oak (S)









9970V





2582V

Ash (S)

Forest

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm







9622T **4**⁸ Cherry (S)



9220T/G **4** 8 Cinnamon (S)



4⁸ Oak (S)

Elm (S)



Ash (C)



9642T Fineline (S)



48 Ash (S)



9692T/G **4**⁸ **5**² Walnut (C)







9770T **4** 8 Teak (S)



48 Ash (S)

Forest

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm





9662T



9910T 4 3 Oak (C)



9712T 48 Oak (S)



9112T/G 4 8 Maple (S)



9930T/G





9632T 4 8 Cherry (S)



9062T/G 4 8 5 2 Walnut (C)









Forest





9002T (4)⁸ Ebony (S)



9080T



9320T 9320T 2ebrano (S)



9950T/G 4 8 Ash (C)



9410T/M 4 8 Walnut (C)



Oak (S)





9970T 4 8 Elm (S)



Cherry (S)

Forest

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm





9552T



9402T/G $\boxed{4}_{8}^{2}$ Zebrano (S)



9078T [4]² Walnut (C)



9132T 4 8 Oak (C)



9582T/G 4 Ash (S)



9035T 9035T Second (C)



92521 African wood (S)



9882T 4 8 Ash (S)

Forest

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm







9802T/G 4 8 5 2 Oak (H)



9710T



9102T/G



9670T 4 8 Oak (C)



9952T/C













Forest

Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm







9750T 4 8 Cherry (S)



9842T/G



9182T/G 4 8 5 2 Alder (C)



9052T/G



48Cherry (C)



9250T 4 8 Teak (C)



9800T/G



9090T/G

Cloud





2806CD



6240CD



6540CD



2816CD




5560CD



5250CD 4



5510CD



Geometric

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





6240O



5280O



6150O 4⁸

Woven









6150W



5560W



Mosaic





2806MX



5890MX



6240MX




2816MX




5250MX






6150MX



Kaleidoscope

Standard Size: Q₁- 4' x 8'(1220x2440mm) · D- 3'10"x7'10" | Thickness: 1.0mm





Ripple

Standard Size: B- 4' x 8'(1220x2440mm) · R- 3'10"x7'10" | Thickness: 1.0mm







Fantasy

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm



















8001G

Metal

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 1.0mm





1700U



1100G



1200M



1202R



1900U



1600G



1201N





1800U



1300G



1205A



1400G



1500G



1206E



1207O

Solid

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm





Solid Standard Size: 4' x 8'(1220x2440mm) 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm





Solid

Standard Size: 4' x 8'(1220x2440mm) 、 5'3'' x 12'(1600x3660mm) | Thickness: 0.8mm



