

# NEONE

---

Haptic X Chemical Resistance

---

Revolutionary Materials in Interior Design

Revolutionary Material in Interior Design


# NE ONE NE

---

Haptic X Chemical Resistance

---

Revolutionary Materials in Interior Design





## Haptic X Chemical Resistance

### Revolutionary Materials in Interior Design

NEONE by Sunflower is the next generation in surface coatings. This is achieved with an acrylic coating that is cured by an electron beam process (EBC). NEONE provides superior abrasion resistance of the surface, enhanced chemical resistance, as well as antibacterial and antifungal properties with reduced finger print marking.

NEONE comes in a soft ultramatt finish that is both elegant in appearance and to the touch. Moreover, it is not limited to just solid color designs, also in minerals and woodgrains, and is available in both laminate (HPL) and decorative board (MFC).


Applications: vertical and horizontal – wall linings, cabinets, storage shelves, countertops etc. Suitable for use in hospitals, laboratories, schools, residences, commercial spaces, offices and any indoor applications.




High Abrasion Resistance



Anti-Finger Print



High Chemical Resistance



Antifungal and Antibacterial



Food Contact Regulation



High Durability

High Pressure Laminates

Size: 4' x 8' (1220x2440mm)  
5'3" x 12' (1600x3660mm)  
Thickness: 1.0mm

Melamine Faced Chipboard

Size: 7' x 9' (2100x2850mm)  
Thickness: 8mm 、 18mm 、 25mm

NEONE Maintenance Guide





**HPL Certifications :**

- ISO 9001:2015
- CNS 11366/11367
- BS EN 438 (UK & EEC countries)
- NEMA LD3-1995
- GB 50222-95 (China)
- Taiwan-Made Product MIT
- Green Building Material mark by Architecture and Building Research Institute
- Green Label (Singapore)
- Department of Communication of Japan as "F☆☆☆☆"(Super E0) classification
- Antifungal Performance - ASTM G21 (excluding Metallic HPL)
- Antibacterial Performance-JIS Z 2801 (Independent Test Results) (excluding Metallic HPL)
- GB 18580-2001 (China)
- Food Contact Regulation (EU)
- ASTM related tests



**MFC Certifications :**

- CNS 2215
- Green Building Material mark by Architecture and Building Research Institute
- Antibacterial Performance-JIS Z 2801 (Independent Test Results) (excluding Metallic HPL)
- Department of Communication of Japan as "F☆☆☆☆"(Super E0) classification



**Woodgrain Direction :**

-  Cathedral
-  Straight
-  Horizontal
-  Crossfire
-  Burl

**HPL Standard Sizes :**

-  4'x8' (1220x2440mm)
-  5'3''x12' (1600x3660mm)
-  New
-  Edging
-  MFC





門板 | 5090UUP



門板 | 6420UUP



● 6360UUP 沙丘米



● 5650UUP 藕色粉




● 5090UUP 芥末黃



● 6420UUP 秋葉橘



● 5380UUP 松柏綠




● 5790UUP 普魯士藍







櫃體 | 6270UUP  
背板 | 8316UUP  
中島檯面 | 8391UUP  
中島櫃體 | 6020UUP




• 6850UUP 奶油白




• 6760UUP 米白灰



• 6840UUP 明采灰



• 5840UUP 海豚灰




• 6270UUP 曉晨灰



• 6020UUP 礦晶碳



• 5040UUP 炭墨灰



• 6150UUP 板岩黑





櫃體 | 6150UUP  
中島檯面 | 8389UUP



門板 | 8950UUP



• 8391UUP 卡拉卡塔 



• 8389UUP 



• 8202UUP 清水模 



• 8950UUP 



櫃體 | 6150UUP  
中島檯面 | 8322UUP



● 8315UUP 灰雲岩



● 8322UUP 樸石



● 8319UUP 摩洛哥石




● 8316UUP 鑒金岩







● 9087UUP 希林核桃木(胡桃木)



● 9083UUP 摩卡杜里橡木(櫟木、橡木)



● 9066UUP 歐洲澄黃胡桃(胡桃木)





門板 | 9058UUP



門板 | 9086UUP



● 9070UUP (榆木)



● 9058UUP 北歐白核桃(山核桃)



● 9980UUP (櫟木、橡木)



● 9086UUP 馬拉百香果木(白楊木)



● 9082UUP 復古威卡榆木(榆木)



● 9672UUP 杏黃櫟木(光蠟木、櫟木)



Color Code	Woodgrain Type	Decor Type	4'x8'	5'3"x12'	MFC	Edging
5040			●		●	●
5090			●		●	●
5380			●		●	●
5650			●		●	●
5790			●		●	●
5840			●			●
6020			●			●
6150			●	●	●	
6270			●	●	●	
6360			●	●		●
6420			●		●	●
6760			●			●
6840			●	●		●
6850			●			●
8202			●	●		
8950			●			●
8315			●			●
8316			●			●
8319			●	●		
8322			●			
8389			●	●		
8391			●	●		●
9058	Hickory	Cathedral	●			●
9066	Walnut	Cathedral	●			●
9070	Elm	Straight	●	●		●
9082	Elm	Cathedral	●			●
9083	Oak	Cathedral	●			●
9086	Poplar	Straight	●			●
9087	Walnut	Cathedral	●			●
9672	Ash	Straight	●			●
9980	Oak	Straight	●			●

**Sunflower Laminates**

Corporate Headquarters  
12F, No. 82, Songjiang Road, Taipei, Taiwan

TEL: +886-2-25517700  
FAX: +886-2-25517280  
Email: [info@sunflower.com.tw](mailto:info@sunflower.com.tw)

